

Wiha stainless steel tools.

Wiha makes it possible: Screwdrivers, L-keys and bits manufactured with non-rusting stainless steel.



Stainless steel tool assortment

Wiha stainless steel.

For perfect fastening and unfastening..... 294 – 295



Wiha SoftFinish® stainless steel screwdrivers.

Specialists for tough jobs..... 296 – 297



Wiha stainless steel bits.

Precision-fitting, powerful and durable..... 298



Wiha XSelector stainless steel.

It can't get any more compact than that..... 299



Wiha stainless steel quick release holder.

One for all..... 299



Wiha stainless steel L-keys.

The key to success..... 300



Wiha stainless steel tool set.

Compact, basic equipment..... 301



SoftFinish® stainless steel screwdrivers

Drive

	Slotted	Phillips PH	Pozidriv PZ	TORX®	For internal hex screws					
SoftFinish® stainless steel screwdrivers	296–297	296–297	296–297	296–297						
Stainless steel bits, style C 6.3	298	298	298	298	298					
Stainless steel bits, style E 6.3		298	298	298						
XSelector stainless steel	299	299	299	299						
Stainless steel L-keys					300					

Wiha stainless steel.

For perfect fastening and unfastening.

Stainless steel has become all-present. Its ascent in the past decades has been due mainly to some outstanding qualities:

Durable and versatile

Extremely resilient, corrosion- and acid-resistant, weather-resistant, easy to process, hygienic and easy to clean – a material cannot be complimented more highly.

Pure

On the one hand this characteristic reflects the refinement of the high-alloy composition of stainless steel. But on the other hand it also bears witness to its noble appearance and lordly emanation.

Conserves resources

Stainless steel can be recycled up to one hundred percent. This spares natural resources, making this quality an essential feature not just for today but for the years ahead.

Essential

All of these qualities have made non-rusting stainless steel a leading material for maximum quality requirements in both the interior design and building construction sectors. And in all areas and dimensions: from a single screw to a building facade, and from the rivet of a ship to complete shipbuilding. Areas with future-fit technologies such as solar technology would not be the same without it. Non-rusting stainless steel also plays a dominant role in sectors such as automotive engineering, the foodstuffs industry and offshore applications.



Non-rusting

Stainless steel does not inevitably have to comply with the demands made upon non-rusting steel. And likewise, non-rusting steel is not categorically stainless steel. Decisive for the definition of stainless steel is the alloying component of the various types, for example low-alloy or high-alloy stainless steel. This factor is exactly specified for each type. One thing's for sure: a non-rusting stainless steel must contain at least 10.5% chrome.

But rust can also collect even on non-rusting stainless steel. The cause: contact with a "foreign", i.e. a non-stainless steel tool. This leaves foreign particles upon the stainless steel surface that then rust. This "extraneous rust" is not only a blemish, but in the form of pitting can become a real safety threat.

That's why:

non-rusting stainless steel needs non-rusting stainless steel tools.

Only with non-rusting stainless steel tools is the transfer of foreign particles and therefore the cause of rust eliminated.



Passive protects active

The simple trick for long life: when the chrome surface, either in air or water, reacts with oxygen, a wafer-thin protective layer is created, the so-called "passive layer". It consistently repels aggressive substances. In addition it has the capability to regenerate ("self-healing"). An additional hardening, a characteristic of all Wiha stainless steel tools, reinforces this characteristic.

It's a question of chemistry: the stainless steel sortiment from Wiha.

The popularity of stainless steel can be seen at the "basis" as well: since the middle of the 90's, the use of stainless steel screws has risen enormously. Here though risk of extraneous rust is particularly high.

The wide-ranging and versatile application possibilities for non-rusting stainless steel or stainless steel screws today place high demands upon tools.



Wiha SoftFinish® stainless steel screwdrivers.

Specialists for tough jobs.

For slotted and Phillips screws.



308ST SoftFinish® stainless steel slotted screwdriver.
Hex blade.

Blade: High-quality, non-rusting stainless steel, completely vacuum-hardened.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: Material: DIN ISO 2388, DIN EN 10 088.
Output: DIN 5265, DIN ISO 2380.

Application: Ideally suitable for fastening and unfastening of stainless steel screws.

Order-No.	⌀	→	⊖	⊕	→	→	→
32606 7	3.5	75	0.6	4.0	179	23	10
32607 4	4.5	90	0.8	4.0	201	30	10
32608 1	5.5	100	1.0	5.5	213	36	10
32609 8	6.5	125	1.2	6.0	238	36	10



312ST SoftFinish® stainless steel Phillips screwdriver.
Hex blade.

Blade: High-quality, non-rusting stainless steel, completely vacuum-hardened.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: Material: DIN ISO 2388, DIN EN 10 088.
Output: ISO 8764.

Application: Ideally suitable for fastening and unfastening of stainless steel screws.

Order-No.	⊕	→	⊖	→	→	→
32610 4	PH1	80	5.0	186	30	10
32611 1	PH2	100	6.0	213	36	10
32612 8	PH3	150	8.0	268	41	10

For Pozidriv and TORX® screws.



314ST SoftFinish® stainless steel Pozidriv screwdriver.
Hex blade.

Blade: High-quality, non-rusting stainless steel, completely vacuum-hardened.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: Material: DIN ISO 2388, DIN EN 10 088.
Output: ISO 8764.

Application: Ideally suitable for fastening and unfastening of stainless steel screws.

Order-No.	⊕	→	⊖	→	→	→
32613 5	PZ1	80	5.0	186	30	10
32614 2	PZ2	100	6.0	213	36	10
32615 9	PZ3	150	8.0	268	41	10



376ST SoftFinish® stainless steel TORX® screwdriver.
Hex blade.

Blade: High-quality, non-rusting stainless steel, completely vacuum-hardened.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: Material: DIN ISO 2388, DIN EN 10 088.
Application: Ideally suitable for fastening and unfastening of stainless steel screws.

Order-No.	⊕	→	⊖	→	→	→
32616 9	T8	60	4.0	164	23	10
32617 3	T9	60	4.0	171	30	10
32618 0	T10	80	4.0	191	30	10
32619 7	T15	80	4.0	191	30	10
32620 3	T20	100	4.0	218	36	10
32621 0	T25	100	4.5	218	36	10
32622 7	T27	115	5.5	233	36	10
32623 4	T30	115	6.0	233	36	10
32624 1	T40	130	7.0	254	41	10

Sets.



308ST HK6 SoftFinish® stainless steel slotted/ Phillips screwdriver set, 6 pcs.
Hexagon blades.

Blade: High-quality, non-rusting stainless steel, completely vacuum-hardened.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Ideally suitable for fastening and unfastening of stainless steel screws.

Order-No.	Series	→
32625 8	308ST HK6	1
⌀	308ST	3.5x75 4.5x90 5.5x100 6.5x125
⊕	312ST	PH1x80 PH2x100



308ST ZK6 SoftFinish® stainless steel slotted/ Pozidriv screwdriver set, 6 pcs.
Hexagon blades.

Blade: High-quality, non-rusting stainless steel, completely vacuum-hardened.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Ideally suitable for fastening and unfastening of stainless steel screws.

Order-No.	Series	→
32626 5	308ST ZK6	1
⌀	308ST	3.5x75 4.5x90 5.5x100 6.5x125
⊕	314ST	PZ1x80 PZ2x100

Sets.



376ST K6 SO SoftFinish® stainless steel TORX® screwdriver set, 6 pcs.
Hexagon blades.

Blade: High-quality, non-rusting stainless steel, completely vacuum-hardened.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Ideally suitable for fastening and unfastening of stainless steel screws.

Order-No.	Series	→
32628 9	376ST K6 SO	1
⊕	376ST	T10x80 T15x80 T20x100 T25x100 T30x115 T40x130

Wiha stainless steel bits.

Precision-fitting, powerful and durable.

Style C 6.3 (1/4").



7010ST Stainless steel bit, slotted, style C 6.3.

Material: High-quality, non-rusting stainless steel, completely vacuum-hardened.
Drive: DIN 3126, ISO 1173, style C 6.3.
Application: Ideally suitable for fastening and unfastening of stainless steel screws.

Order-No.	⌀	↔	⊘	↔
32645 6	4.5	25	0.6	10
32646 3	5.5	25	0.8	10
32647 0	6.5	25	1.2	10
32648 7	8.0	25	1.2	10



7011ST Stainless steel bit, Phillips, style C 6.3.

Order-No.	⊕	↔	↔
32649 4	PH1	25	10
32650 0	PH2	25	10
32651 7	PH3	25	10



7012ST Stainless steel bit, Pozidriv, style C 6.3.

Order-No.	⊕	↔	↔
32652 4	PZ1	25	10
32653 1	PZ2	25	10
32654 8	PZ3	25	10



7015ST Stainless steel bit, TORX®, style C 6.3.

Order-No.	⊗	↔	↔
32655 5	T8	25	10
32656 2	T9	25	10
32657 9	T10	25	10
32658 6	T15	25	10
32659 3	T20	25	10
32660 9	T25	25	10
32661 6	T30	25	10
32690 6	T40	25	10

Style C 6.3 (1/4").



7013ST Stainless steel bit, hex, style C 6.3.

Order-No.	⊙	↔	↔
34005 6	1.5	25	10
34006 3	2.0	25	10
34007 0	2.5	25	10
34008 7	3.0	25	10
34009 4	4.0	25	10
34010 0	5.0	25	10
34011 7	6.0	25	10

Style E 6.3 (1/4").



7041ST Stainless steel bit, Phillips, style E 6.3.

Material: High-quality, non-rusting stainless steel, completely vacuum-hardened.
Drive: DIN 3126, ISO 1173, style C 6.3.
Application: Ideally suitable for fastening and unfastening of stainless steel screws.

Order-No.	⊕	↔	↔
32662 3	PH1	50	10
32663 0	PH2	50	10
32664 7	PH3	50	10



7042ST Stainless steel bit, Pozidriv, style E 6.3.

Order-No.	⊕	↔	↔
32665 4	PZ1	50	10
32666 1	PZ2	50	10
32667 8	PZ3	50	10



7045ST Stainless steel bit, TORX®, style E 6.3.

Order-No.	⊗	↔	↔
32668 5	T15	50	10
32669 2	T20	50	10
32670 8	T25	50	10
32671 5	T30	50	10
32672 2	T40	50	10

Wiha XSelector stainless steel.

It can't get any more compact than that.

Stainless steel bits.



7944-0ST5 XSelector stainless steel, mixed, 11 pcs.

Housing: Box made of high quality plastic.
The simplest bit removal guaranteed.

Bits: 25 mm stainless steel bits.
Ideally suitable for fastening and unfastening of stainless steel screws.

Holder: CentroFix stainless steel quick release holder, style E 6.3.

Application: Fits in every pocket and couldn't be smaller.

Order-No.	Series	↔
32910 5	7944-0ST5	10
⊕	7010ST 1x5.5 1x6.5	
⊕	7011ST 1xPH1 2xPH2 1xPH3	
⊕	7012ST 1xPZ1 2xPZ2 1xPZ3	
	7148STC CentroFix stainless steel quick release holder, style E 6.3	

SB7944-0ST5 XSelector stainless steel, mixed, 11 pcs. Blister packed for hanging.

Order-No.	Series	↔
33785 8	SB7944-0ST5	10
⊕	7010ST 1x5.5 1x6.5	
⊕	7011ST 1xPH1 2xPH2 1xPH3	
⊕	7012ST 1xPZ1 2xPZ2 1xPZ3	
	7148STC CentroFix stainless steel quick release holder, style E 6.3	



7944-9ST4 XSelector stainless steel, mixed, 11 pcs.

Order-No.	Series	↔
32908 2	7944-9ST4	10
⊕	7011ST 1xPH1 1xPH2 1xPH3	
⊕	7012ST 1xPZ1 1xPZ2 1xPZ3	
⊕	7015ST 1xT15 1xT20 1xT25 1xT30	
	7148STC CentroFix stainless steel quick release holder, style E 6.3	

SB7944-9ST4 XSelector stainless steel, mixed, 11 pcs. Blister packed for hanging.

Order-No.	Series	↔
33787 2	SB7944-9ST4	10
⊕	7011ST 1xPH1 1xPH2 1xPH3	
⊕	7012ST 1xPZ1 1xPZ2 1xPZ3	
⊕	7015ST 1xT15 1xT20 1xT25 1xT30	
	7148STC CentroFix stainless steel quick release holder, style E 6.3	

Stainless steel bits.



7944-5ST5 XSelector, stainless steel, TORX®, 11 pcs.

Housing: Box made of high quality plastic.
The simplest bit removal guaranteed.

Bits: 25 mm stainless steel bits.
Ideally suitable for fastening and unfastening of stainless steel screws.

Holder: CentroFix stainless steel quick release holder, style E 6.3.

Application: Fits in every pocket and couldn't be smaller.

Order-No.	Series	↔
32911 2	7944-5ST5	10
⊕	7015ST 1xT8 1xT9 1xT10 1xT15 2xT20 2xT25 1xT30 1xT40	
	7148STC CentroFix stainless steel quick release holder, style E 6.3	

SB7944-5ST5 XSelector, stainless steel, TORX®, 11 pcs. Blister packed for hanging.

Order-No.	Series	↔
33786 5	SB7944-5ST5	10
⊕	7015ST 1xT8 1xT9 1xT10 1xT15 2xT20 2xT25 1xT30 1xT40	
	7148STC CentroFix stainless steel quick release holder, style E 6.3	

Bit holder.



7148ST CentroFix stainless steel quick release holder, style E 6.3. Blister packed.

Sleeve: Metal, coated.

Bit holder: Of high-quality, non-rusting stainless steel, therefore recommended for use with stainless steel bits.

Suitable for: DIN 3126, ISO 1173, style D 6.3 + F 6.3 and double bits.

Drive: DIN 3126, ISO 1173, style E 6.3.

Application: Whenever the bit needs a secure and zero-play hold.

Optimised for the use of long bits.

Extra: Due to the special holding mechanism, this bit holder holds all types of bits with 1/4" hex drive.

The play between bit and holder is reduced to a minimum.
Real single-handed operation for fast bit exchange.

Order-No.	⊙	⊕	↔	↔
33765 0	1/4	1/4	60	10



Wiha stainless steel L-keys.

The key to success.

For Allen screws (metric).



369ST Hexagon ball end stainless steel L-key, long.

Blade: High-quality, non-rusting stainless steel, completely vacuum-hardened.
 Standards: Based on DIN ISO 2936, DIN EN 10 088.
 Application: Ideally suitable for fastening and unfastening of stainless steel screws in hard-to-reach places.
 Extra: The ball end enables the user to work at angles up to 25°.

Order-No.	●	←	→	▬
32635 7	1.5	91	15	10
32636 4	2	101	18	10
32637 1	2.5	113	20	10
32638 8	3	128	23	10
32639 5	4	142	29	10
32640 1	5	163	33	10
32641 8	6	184	38	10
32642 5	8	206	44	10
32643 2	10	231	50	10



369ST S9 Hexagon ball end stainless steel L-key set in ProStar, 9 pcs.

Blade: High-quality, non-rusting stainless steel, completely vacuum-hardened.
 Standards: Based on DIN ISO 2936, DIN EN 10 088.
 Application: Ideally suitable for fastening and unfastening of stainless steel screws in hard-to-reach places.
 Extra: Space saving ProStar allows the easy removal of each key without moving any others.
 The ball end enables the user to work at angles up to 25°.

Order-No.	▬
32632 6	369ST S9 5
●	369ST 1.5 2 2.5 3 4 5 6 8 10

For Allen screws (metric).



SB 369ST S9 Hexagon ball end stainless steel L-key set in ProStar, 9 pcs. Blister packed.

Order-No.	▬
32633 3	SB 369ST S9 5
●	369ST 1.5 2 2.5 3 4 5 6 8 10



369ST SVH1 Display of hexagon ball end stainless steel L-key sets. In ProStar, 9 pcs. Carton display with 10 pieces.

Order-No.	Content	●	▬
33784 1	10 x 369ST S9	1.5 - 10	1

Wiha stainless steel tool set.

Compact, basic equipment.

Set combination.



9300-701 Stainless steel tool set, 6 pcs.

Case: High quality box for practical storing of Wiha stainless steel tools.

Content: **Wiha SoftFinish® stainless steel screwdriver:**
 – Slotted screwdriver, 3.5x75 / 5.5x100 (308ST series)
 – Phillips screwdriver, PH1x80 / PH2x100 (312ST series)
Hexagon ball end stainless steel L-key set in ProStar, 9 pcs.
XSelector stainless steel, mixed, 11 pcs. (7944-9ST4)

Application: Ideally suitable for fastening and unfastening of stainless steel screws.

Order-No.	Series	▬
33783 4	9300-701	1

Wiha Info

Non-rusting stainless steel:
timeless beauty and quality.



Wiha, the specialist for premium tools, offers the ideal range of non-rusting stainless steel tools. Whether screwdrivers, bits or L-keys – these professional tools guarantee maximum quality and convenient handling, made in Germany.