












# Wiha screwdrivers.

Wiha makes it possible: Optimum fitting for perfect work.



	Drive										
											
SoftFinish® screwdrivers	11, 17–18	12–13, 17–18	12–13, 17–19	14, 19	14, 19	15	15	16, 18		16	17
Screw-holding screwdrivers	11	12									
SoftFinish® with mm scale	13	13	13								
SoftFinish® Stubby-screwdrivers	13	13	13								
MicroFinish screwdrivers	21, 23	21, 23	22–23	22				22			
Classic screwdrivers	25–26	25–26	25–26	25			26	26			
Small screwdrivers	28										
Wooden handle screwdrivers	33	33	33								
PicoFinish screwdrivers	35, 38	35, 38	35	36, 38–39		36	37, 39	37, 39			

## Screwdrivers

The Wiha Finish screwdriver concept. The revolution in screwdriver design. ....	8	-	9
Wiha SoftFinish®. The specialist for dry and general applications. ....	10	-	19
Wiha SoftFinish®. Round blade with lasered millimetre scale. ....	13		
Wiha SoftFinish® Stubby-screwdrivers. For working in confined spaces. ....	13		
Wiha MicroFinish. The specialist for wet and oily applications. ....	20	-	23
Wiha Classic. The robust screwdriver for multiple applications. ....	24	-	26
Wiha special tools. Scrapers, trim pin remover, square reamers and awls. ....	27		
Wiha small screwdrivers. The pocket screwdrivers. ....	28		
Wiha magnetisers/ demagnetisers. For magnetising/ demagnetising. ....	29		
Wiha universal scraper. Easily removes sealing, paint and glue. ....	30	-	31
Wiha wooden handle. The all-rounder for woodworking applications. ....	32	-	33
Wiha PicoFinish. The comfortable precision screwdriver. ....	34	-	39



**Wiha VDE screwdrivers.**  
See VDE tool range, page 226 – 243



**Wiha ESD screwdrivers.**  
See ESD tool range, page 263 – 281



**Wiha stainless steel screwdrivers.**  
See stainless steel tool range, page 294 – 297



# The Wiha Finish screwdriver concept.

The revolution in screwdriver design.

Wiha SoftFinish®



Wiha MicroFinish



Introducing the next generation of screwdrivers from Wiha: the SoftFinish® and the MicroFinish, because functionality and ergonomic styling together make up the most important aspect of a screwdriver.

The generation of Wiha Finish handles with its total of four handle sizes was developed on the basis of extensive studies into handle ergonomics with the support of high-profile research institutes. The result is a completely ergonomic design and optimal handle lengths and diameters. The user is guaranteed a perfect hold with every handle size.

## The feel good factor


Due to the combination of material and handle size, each Finish screwdriver fits perfectly into the palm of the hand. There is no strain on muscles, ligaments and joints, with the result that minimum force is required for maximum torque.

## SoftFinish® or MicroFinish

Screwdrivers used in dry working environments have to have a different handle surface to those used in oily working environments. Wiha has taken this on board and has developed a Finish screwdriver for dry and general applications and one for oily applications.

The handle core of both models consists of impact-resistant, recyclable special plastic material. The torque strengthening Finish zone of the SoftFinish® version is made of a soft, thermoplastic elastomer and is ideal for dry and general applications.

The Finish zone of the MicroFinish version is made of impact-resistant cellulose acetate that is also resistant to oil and chemicals. Its micro-fine surface structure ensures convincing high-torque transmission without slipping, even with oily hands.



# Wiha SoftFinish®.

The specialist for dry and general applications.



The right tool at a glance, thanks to the printed screw symbol on the handle end.

The Wiha SoftFinish® zone features a solid moulded core with soft outer grip. This requires less force, yet achieves 40% more torque than conventional handles. The handle is shaped to fit comfortably in the hand, providing maximum torque forces in dry and general working conditions.

If a stuck screw has to be loosened, a precise hammer blow can be applied to the solid steel cap. Due to the hex blade extending through the handle to the steel cap, there is no loss of impact energy.



The solid steel cap at the end of the SoftFinish® handle enables controlled hammer blows, for example, when loosening a tight screw.

Due to the solid steel cap and hex blade extending through the handle, there is no loss of impact energy when a precise hammer blow is applied.



Thermoplastic elastomer tolerates high loads and feels soft and pleasant to the touch.

Blade with hex bolster for wrenches to use on particularly tight screws.



## Wiha SoftFinish®.

- Multi-component SoftFinish® handle provides maximum user comfort
- Ergonomically perfect handle design
- Printed screw symbol on handle end for fast identification
- Available in versions with round blade, hex blade or hex blade with solid steel cap
- Blade made of high quality CVM-steel, through-hardened and chrome plated
- Wiha ChromTop®-finish on tip for a perfect fit every time

### For slotted screws.



#### 302 SoftFinish® slotted cabinet screwdriver.

##### Round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
Standards: DIN 5265, DIN ISO 2380.  
Application: Especially for dry and general applications.

Order-No.	①	➔	⊖	●	➔	➔	➔
00684 6	2.0•	65	0.4	2.0	169	23	10
00685 3	2.5	75	0.4	2.5	179	23	10
00686 0	3.0•	80	0.5	3.0	184	23	10
00687 7	3.0	100	0.5	3.0	204	23	10
00689 1	3.0•	150	0.5	3.0	254	23	10
00690 7	3.0•	200	0.5	3.0	304	23	10
32383 7	3.0	300	0.5	3.0	404	23	5
00691 4	3.5	100	0.6	3.5	204	23	10
26931 9	3.5•	200	0.5	3.5	304	23	10
00692 1	4.0	100	0.8	4.0	211	30	10
00694 5	4.0•	150	0.8	4.0	261	30	10
00695 2	4.0•	200	0.8	4.0	311	30	10
00696 9	4.0•	300	0.8	4.0	411	30	5
27753 6	4.5•	80	0.8	4.5	191	30	10
00697 6	4.5•	125	0.8	4.5	236	30	10
00698 3	5.5	125	1.0	5.5	236	30	10
00700 3	5.5	150	1.0	5.5	261	30	10
00701 0	5.5•	200	1.0	5.5	311	30	10
00702 7	5.5•	300	1.0	5.5	411	30	5
32384 4	6.0	300	1.0	6.0	418	36	5

• Additional dimension. Non-DIN size.



#### 302 SoftFinish® slotted workshop screwdriver.

##### Round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
Standards: DIN 5265, DIN ISO 2380.  
Application: Especially for dry and general applications.

Order-No.	①	➔	⊖	●	➔	➔	➔
27754 3	6.0	100	1.0	5.5	218	36	10
27755 0	6.0	150	1.0	5.5	268	36	10
00704 1	6.5	100	1.2	6.0	218	36	10
00703 4	6.5	150	1.2	6.0	268	36	10
00706 5	6.5•	200	1.2	6.0	318	36	5
00708 9	8.0	150	1.2	7.0	274	41	10
00707 2	8.0	175	1.2	7.0	299	41	5
00709 6	8.0	175	1.6	7.0	299	41	5
32399 8	8.0	300	1.2	7.0	424	41	5
00711 9	10.0	200	1.6	8.0	324	41	5
32400 1	10.0	300	1.6	8.0	424	41	5
00712 6	12.0	250	2.0	8.0	374	41	5
00713 3	14.0	250	2.5	11.0	374	41	5

• Additional dimension. Non-DIN size.

### For slotted screws.



#### 308 SoftFinish® slotted screwdriver.

##### Hex blade with hex bolster.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
Standards: DIN 5265, DIN ISO 2380.  
Application: Especially for dry and general applications.

Order-No.	①	➔	⊖	●	➔	➔	➔
00731 7	3.5	75	0.6	4.0	-	186	30
00732 4	4.5•	90	0.8	4.0	-	201	30
00733 1	5.5	100	1.0	5.0	8	213	36
00734 8	6.5	125	1.2	6.0	10	238	36
00735 5	7.0•	125	1.1	6.0	10	238	36
00736 2	8.0	150	1.2	8.0	13	268	41
00737 9	9.0•	150	1.4	8.0	13	268	41
00738 6	10.0	175	1.6	8.0	13	293	41
00739 3	12.0	200	2.0	10.0	16	318	41
00740 9	14.0	250	2.5	10.0	16	368	41

• Additional dimension. Non-DIN size.



#### 530 SoftFinish® slotted screwdriver.

##### Hex blade with hex bolster, solid steel cap.

Order-No.	①	➔	⊖	●	➔	➔	➔
03223 4	3.5	75	0.6	4.0	-	186	30
03224 1	4.5•	90	0.8	4.0	-	201	30
03225 8	5.5	100	1.0	5.0	8	213	36
03226 5	6.5	125	1.2	6.0	10	238	36
03228 9	8.0	150	1.2	8.0	13	271	41
03230 2	10.0	175	1.6	8.0	13	296	41
03231 9	12.0	200	2.0	10.0	16	321	41
03232 6	14.0	250	2.5	10.0	16	371	41

• Additional dimension. Non-DIN size.



#### 398 SoftFinish® slotted screw-holding screwdriver.

##### Clamping sleeve holds the screw.

Blade: Chrome-vanadium steel, through hardened, black-finish.  
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
Application: For setting and turning screws in difficult to access areas.

Order-No.	①	➔	⊖	➔	➔	➔
32867 2	2.5	75	0.4	186	30	5
32868 9	3.0	100	0.5	211	30	5
32869 6	4.0	125	0.8	243	36	5
32870 2	5.0	150	1.0	268	36	5
32871 9	6.0	175	1.2	293	36	5





► See VDE tools,  
page 228 – 237

# Wiha SoftFinish®.

The specialist for dry and general applications.

## For Phillips screws.



**311** SoftFinish® Phillips screwdriver.  
**Round blade.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: ISO 8764.

Application: Especially for dry and general applications.


Order-No.	⊕	↔	●	↔	↔	↔
00754 6	PH0	60	3.0	164	23	10
27756 7	PH0	100	3.0	204	23	10
00756 0	PH1	80	4.5	191	30	10
27757 4	PH1	100	4.5	211	30	10
00757 7	PH1•	200	4.5	311	30	10
03738 3	PH1•	300	4.5	411	30	5
00759 1	PH2	100	6.0	218	36	10
27758 1	PH2	150	6.0	268	36	10
00760 7	PH2•	200	6.0	318	36	5
03739 0	PH2•	300	6.0	418	36	5
00762 1	PH3	150	8.0	274	41	10
00763 8	PH4	200	10.0	324	41	5

• Additional dimension. Non-DIN size.



**312** SoftFinish® Phillips screwdriver.  
**Hex blade with hex bolster.**

Order-No.	⊕	↔	●	⬡	↔	↔
00764 5	PH1	80	5.0	8	186	30
00765 2	PH2	100	6.0	10	213	36
00766 9	PH3	150	8.0	13	268	41
00767 6	PH4	200	10.0	16	318	41



**531** SoftFinish® Phillips screwdriver.  
**Hex blade with hex bolster, solid steel cap.**

Order-No.	⊕	↔	●	⬡	↔	↔
03237 1	PH1	80	5.0	8	186	30
03238 8	PH2	100	6.0	10	213	36
03239 5	PH3	150	8.0	13	268	41



**397** SoftFinish® Phillips screw-holding screwdriver.  
**Clamping sleeve holds the screw.**

Blade: Chrome-vanadium steel, through hardened, black-finish.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: For setting and turning screws in difficult to access areas.

Order-No.	⊕	↔	↔	↔	↔
32406 3	PH0	100	211	30	5
32404 9	PH1	125	236	36	5
32405 6	PH2	175	286	36	5

## For Pozidriv screws.



**313** SoftFinish® Pozidriv screwdriver.  
**Round blade.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: ISO 8764.

Application: Especially for dry and general applications.

Order-No.	⊕	↔	●	↔	↔	↔
00768 3	PZ0	60	3.0	164	23	10
00770 6	PZ1	80	4.5	191	30	10
26454 3	PZ1	300	4.5	411	30	5
00772 0	PZ2	100	6.0	218	36	10
26455 0	PZ2	300	6.0	418	36	5
00774 4	PZ3	150	8.0	274	41	10



**314** SoftFinish® Pozidriv screwdriver.  
**Hex blade with hex bolster.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: ISO 8764.

Application: Especially for dry and general applications.

Order-No.	⊕	↔	●	⬡	↔	↔
00776 8	PZ1	80	5.0	8	186	30
00777 5	PZ2	100	6.0	10	213	36
00778 2	PZ3	150	8.0	13	268	41
00779 9	PZ4	200	10.0	16	318	41



**532** SoftFinish® Pozidriv screwdriver.  
**Hex blade with hex bolster, solid steel cap.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: ISO 8764.

Application: Especially for dry and general applications.

Order-No.	⊕	↔	●	⬡	↔	↔
03245 6	PZ1	80	5.0	8	186	30
03246 3	PZ2	100	6.0	10	213	36
03247 0	PZ3	150	8.0	13	271	41

## Stubby-screwdriver.



**302** SoftFinish® slotted screwdriver.  
**Short round blade.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha Stubby SoftFinish® handle, multi-component with roll-off protection.

Standards: DIN 5265, DIN ISO 2380, handle acc. to DIN 5268 - style K.

Application: For working in confined spaces.

Order-No.	①	↔	⊖	●	↔	↔	↔
26964 7	4.0	25	0.8	4.0	81	34	10
26965 4	5.5	25	1.0	5.5	81	34	10
26966 1	6.5	25	1.2	6.5	81	34	10
26967 8	8.0	25	1.2	8.0	81	34	10



**311** SoftFinish® Phillips screwdriver.  
**Short round blade.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha Stubby SoftFinish® handle, multi-component with roll-off protection.

Standards: ISO 8764, handle acc. to DIN 5268 - style K.

Application: For working in confined spaces.

Order-No.	⊕	↔	●	↔	↔	↔
26968 5	PH1	25	4.5	81	34	10
26969 2	PH2	25	6.0	81	34	10
26970 8	PH3	25	8.0	81	34	10



**313** SoftFinish® Pozidriv screwdriver.  
**Short round blade.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha Stubby SoftFinish® handle, multi-component with roll-off protection.

Standards: ISO 8764, handle acc. to DIN 5268 - style K.

Application: For working in confined spaces.

Order-No.	⊕	↔	●	↔	↔	↔
26971 5	PZ1	25	4.5	81	34	10
26972 2	PZ2	25	6.0	81	34	10
26973 9	PZ3	25	8.0	81	34	10

## Screwdriver with mm scale.



**NEW**  
**3021** SoftFinish® slotted screwdriver.  
**Round blade with lasered millimetre scale from 30 to 110 mm.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: DIN 7437, DIN 5264, DIN ISO 2380.

Application: Especially for dry and general applications.

Extra: High-contrast millimetre scale permanently lasered on to the blade for depth, inner, outer and step measurements between 30 to 110 mm.

Order-No.	①	↔	⊖	●	↔	↔	↔
35397 1	5.5	125	1.0	5.5	236	30	10



**NEW**  
**3111** SoftFinish® Phillips screwdriver.  
**Round blade with lasered millimetre scale from 20 to 90 mm.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: DIN 7437, DIN 5264, DIN ISO 2380.

Application: Especially for dry and general applications.

Extra: High-contrast millimetre scale permanently lasered on to the blade for depth, inner, outer and step measurements between 20 to 90 mm.

Order-No.	⊕	↔	●	↔	↔	↔
35398 8	PH2	100	6.0	218	36	10



**NEW**  
**3131** SoftFinish® Pozidriv screwdriver.  
**Round blade with lasered millimetre scale from 20 to 90 mm.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: DIN 7437, DIN 5264, DIN ISO 2380.

Application: Especially for dry and general applications.

Extra: High-contrast millimetre scale permanently lasered on to the blade for depth, inner, outer and step measurements between 20 to 90 mm.

Order-No.	⊕	↔	●	↔	↔	↔
35399 5	PZ2	100	6.0	218	36	10



# Wiha SoftFinish®.

The specialist for dry and general applications.



## For TORX® screws.



**362** SoftFinish® TORX® screwdriver.  
**Round blade.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
Application: Especially for dry and general applications.

Order-No.	●	↔	●	↔	↔	↔
26259 4	T3	60	2.5	164	23	10
26260 0	T4	60	2.5	164	23	10
01285 4	T5	60	2.5	164	23	10
01286 1	T6	60	3.5	164	23	10
01287 8	T7	60	3.5	164	23	10
01288 5	T8	60	3.5	164	23	10
01289 2	T9	60	4.0	171	30	10
01290 8	T10	80	4.0	191	30	10
01291 5	T15	80	4.0	191	30	10
01292 2	T20	100	4.0	218	36	10
01293 9	T25	100	4.5	218	36	10
01294 6	T27	115	5.5	233	36	10
01295 3	T30	115	6.0	233	36	10
01296 0	T40	130	7.0	254	41	10
01297 7	T45	130	8.0	254	41	5



**362BE** SoftFinish® TORX® ball end screwdriver.  
**Hex blade.**  
Blade: High-quality chrome-molybdenum steel, through-hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
Application: For all hard-to-reach TORX® screws.  
Extra: The TORX® ball end enables fastening and unfastening at an angle of up to 25°.  
With elongated TORX® profile behind ball end.

Order-No.	●	↔	●	↔	↔	↔
32250 2	T9	60	7/64	2.8	164	23
32251 9	T10	60	1/8	3.2	184	23
32252 6	T15	80	9/64	3.6	191	30
32253 3	T20	80	5/32	4.0	211	30
32254 0	T25	100	3/16	4.8	218	36
32255 7	T27	115	7/32	5.6	233	36
32256 4	T30	115	1/4	6.4	233	36

## For TORX® and TORX® tamper resistant screws.



**362R** SoftFinish® TORX® MagicSpring® screwdriver.  
**Retaining spring holds TORX® screws in place.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
Application: For setting and tightening TORX® screws in difficult to access areas.

Order-No.	●	↔	●	↔	↔	↔
27736 9	T6	60	3.5	164	23	10
27737 6	T7	60	3.5	164	23	10
27738 3	T8	60	3.5	164	23	10
27739 0	T9	60	4.0	171	30	10
27740 6	T10	80	4.0	191	30	10
27741 3	T15	80	4.0	191	30	10
27742 0	T20	100	4.0	218	36	10
27743 7	T25	100	4.5	218	36	10
27811 3	T27	115	5.5	233	36	10
27744 4	T30	115	6.0	233	36	10
27745 1	T40	130	7.0	254	41	10



**362TR** SoftFinish® TORX® Tamper Resistant screwdriver.  
**With borehole in the blade tip.**  
**For TORX® screws with locking pin.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
With borehole in the blade tip.  
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Order-No.	●	↔	●	↔	↔	↔
03106 0	T7H	60	3.5	164	23	10
03107 7	T8H	60	3.5	164	23	10
03108 4	T9H	60	4.0	171	30	10
26456 7	T9H	300	4.0	411	30	5
01300 4	T10H	80	4.0	191	30	10
26457 4	T10H	300	4.0	411	30	5
01301 1	T15H	80	4.0	191	30	10
26458 1	T15H	300	4.0	411	30	5
01302 8	T20H	100	4.0	211	30	10
28005 5	T20H	300	4.0	411	30	5
01303 5	T25H	100	4.5	211	30	10
01304 2	T27H	115	5.5	233	36	10
01305 9	T30H	115	6.0	233	36	10
01306 6	T40H	130	7.0	254	41	10

## For TORX PLUS® and Allen screws.



**362IP** SoftFinish® TORX PLUS® screwdriver.  
**Round blade.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Order-No.	●	↔	●	↔	↔	↔
26091 0	6IP	60	3.5	164	23	10
26093 4	7IP	60	3.5	164	23	10
26095 8	8IP	60	3.5	164	23	10
26097 2	9IP	60	4.0	171	30	10
26099 6	10IP	80	4.0	191	30	10
26101 6	15IP	80	4.0	191	30	10
26103 0	20IP	100	4.0	218	36	10
26105 4	25IP	100	4.5	218	36	10
26107 8	27IP	115	5.5	233	36	10
26109 2	30IP	115	6.0	233	36	10
26111 5	40IP	130	7.0	254	41	10



**362RIP** SoftFinish® TORX PLUS® MagicSpring® screwdriver.  
**Retaining spring holds TORX PLUS® screws in place.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
Application: For setting and tightening TORX PLUS® screws in hard to reach areas.

Order-No.	●	↔	●	↔	↔	↔
28760 3	6IP	60	3.5	164	23	10
28761 0	7IP	60	3.5	164	23	10
28762 7	8IP	60	3.5	164	23	10
28763 4	9IP	60	4.0	171	30	10
28764 1	10IP	80	4.0	191	30	10
28765 8	15IP	80	4.0	191	30	10
28766 5	20IP	100	4.0	218	36	10
28767 2	25IP	100	4.5	218	36	10
28768 9	27IP	115	5.5	233	36	10
28769 6	30IP	115	6.0	233	36	10
28770 2	40IP	130	7.0	254	41	10



**356** SoftFinish® hex screwdriver.  
**Hex blade.**  
Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Order-No.	●	↔	↔	↔	↔
32264 9	1.5	60	164	23	10
32265 6	2.0	60	164	23	10
26190 0	2.5	75	179	23	10
26191 7	3	75	179	23	10
26192 4	4	75	186	30	10
26193 1	5	75	186	30	10
26194 8	6	100	218	36	10
26195 5	8	100	218	36	10

## For hex socket screws.



**367** SoftFinish® ball end hex screwdriver.  
**Hex blade.**  
Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
Application: For all screws that are difficult to access.  
Extra: The ball end enables the user to work at angles up to 25°.

Order-No.	●	↔	↔	↔	↔
26303 4	1.5	75	179	23	10
26304 1	2	100	204	23	10
26305 8	2.5	100	204	23	10
26328 7	3	100	204	23	10
26329 4	4	100	211	30	10
26330 0	5	100	211	30	10
26331 7	6	125	243	36	10
26332 4	8	150	268	36	10
26333 1	10	150	271	41	5
26307 2	12	150	271	41	5



**367R** SoftFinish® MagicRing® ball end hex screwdriver.  
**Ring made of spring steel holds hex screws in place.**  
Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
Application: For setting and turning screws in difficult to access areas.  
Extra: The ball end enables the user to work at angles up to 25°.

Order-No.	●	↔	↔	↔	↔
26077 4	3	100	204	23	10
26079 8	4	100	211	30	10
26081 1	5	100	211	30	10
26083 5	6	125	243	36	10
26085 9	8	150	268	36	10
26087 3	10	150	271	41	5



**357** SoftFinish® offset hex screwdriver.  
**Hex blade.**  
Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
Application: Ideal for high-torque applications, e.g. in workshops.

Order-No.	●	↔	↔	↔	↔
26230 3	3	35	20	139	23
26231 0	4	40	25	151	30
26232 7	5	45	28	156	30
26233 4	6	50	32	168	36
26234 1	8	60	36	178	36
26235 8	10	70	40	199	41

# Wiha SoftFinish®.

The specialist for dry and general applications.

► See VDE tools,  
page 228 – 237

## For hex nuts.



**341** SoftFinish® hex nut driver.  
**Round blade.**

Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Deep drawn socket.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: DIN 3125.

Application: Especially for dry and general applications.

Order-No.	Ø	↔	↔	↔	↔	↔
01018 8	4	125	236	30	6.9	10
01020 1	5	125	236	30	7.9	10
01021 8	5.5	125	236	30	7.9	10
01022 5	6	125	236	30	8.9	10
01023 2	7	125	243	36	10.9	10
01024 9	8	125	243	36	11.9	10
01025 6	9	125	243	36	12.9	10
01026 3	10	125	243	36	14.4	10
01027 0	11	125	249	41	15.9	5
01028 7	12	125	249	41	16.9	5
01029 4	13	125	249	41	18.4	5
01030 0	14	125	249	41	19.4	5
01031 7	15	125	249	41	21.9	5
01032 4	16	125	249	41	21.9	5
01033 1	17	125	249	41	23.4	5



**347** SoftFinish® hex nut driver.  
**Round blade with hex bolster.**

Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Deep drawn socket.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: DIN 3125.

Application: Especially for dry and general applications.

Order-No.	Ø	↔	↔	↔	↔	↔
01092 8	7	125	10	238	36	11.0
01093 5	8	125	10	238	36	12.0
01094 2	9	125	10	238	36	13.0
01095 9	10	125	10	238	36	14.5
01096 6	11	125	13	246	41	16.0
01097 3	12	125	13	246	41	17.0
01098 0	13	125	13	246	41	19.0

**347 Zoll** SoftFinish® hex nut driver. Inch sizes.  
**Round blade with hex bolster.**

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Deep drawn socket.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Especially for dry and general applications.

Order-No.	Ø	↔	↔	↔	mm	↔	↔
02836 7	3/16	125	10	231	30	4.76	8
02837 4	1/4	125	10	238	36	6.35	10
02838 1	5/16	125	10	238	36	7.94	12
02839 8	3/8	125	10	238	36	9.53	14
02840 4	7/16	125	13	246	41	11.11	16
02841 1	1/2	125	13	246	41	12.70	19

## For hex and triangular nuts.



**343** SoftFinish® hex nut driver.  
**Short round blade.**

Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Deep drawn socket.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: For working in confined spaces.

Order-No.	Ø	↔	↔	↔	↔	↔
01076 8	5.5	65	176	30	8	10
01077 5	6	65	176	30	9	10
01078 2	7	65	183	36	11	10
01079 9	8	65	183	36	12	10
01081 2	10	65	183	36	14	10



**372** SoftFinish® hex nut driver.  
**Flexible shaft for hard to reach areas.**

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: E.g. for tightening and loosening adjustable hose clamps.

Order-No.	Ø	↔	↔	↔	↔	↔
01435 3	5	150	261	30	8	10
01436 0	5.5	150	261	30	8	10
01437 7	6	150	261	30	9	10
01438 4	7	150	268	36	11	10
01439 1	8	150	268	36	12	10
01440 7	10	175	293	41	14	10
01443 8	13	175	293	41	19	5



**344** SoftFinish® triangular nut driver.  
**Round blade.**

Blade: Chrome-vanadium steel, through hardened, chrome-plated.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: DIN 22416.

Application: For triangular screws DIN 22424 and triangular nuts DIN 22425.

Order-No.	Ø	↔	↔	↔	↔	↔
26212 9	M4	125	6.8	236	30	11
26213 6	M5	125	8.3	236	30	13
26216 7	M6	125	10.05	236	30	16
26214 3	M8	125	12.05	243	36	18
26217 4	M10	125	15.05	243	36	22
26218 1	M12	125	16.55	249	41	24

## For slotted nuts. Sets with round blades.



**305** SoftFinish® slotted nut driver.  
**Round blade.**

Blade: Chrome-vanadium steel, through hardened, chrome-plated.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: DIN 3125.

Application: For nuts DIN 546.

Order-No.	Ø	↔	↔	↔	↔	↔
32364 6	M1.7	80	0.5	4.0	184	23
32363 9	M2	80	1.0	4.5	184	23
32362 2	M2.3	90	1.0	5.0	201	30
32361 5	M2.6	90	1.2	5.5	201	30
32360 8	M3	100	1.2	6.0	211	30
32358 5	M3.5	100	1.4	7.0	218	36
32359 2	M4	100	1.4	8.0	218	36
32357 8	M5	125	2.0	10.0	243	36
32356 1	M6	125	2.5	11.0	243	36
32355 4	M8	150	3.0	14.0	274	41
32354 7	M10	150	3.5	18.0	274	41



**302 HK6 S0** SoftFinish® slotted/ Phillips screwdriver set, 6 pcs.  
**Round blades.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Especially for dry and general applications.

Order-No.	Series	↔
07152 3	302 HK6 S0	1
①	302	3.5x100 4.5x125 5.5x150 6.5x150
⊕	311	PH1x80 PH2x100



**302 ZK6 S0** SoftFinish® slotted/ Pozidriv screwdriver set, 6 pcs.  
**Round blades.**

Order-No.	Series	↔
07153 0	302 ZK6 S0	1
①	302	3.5x100 4.5x125 5.5x150 6.5x150
⊕	313	PZ1x80 PZ2x100

## Sets with round blades.



**311 K6** SoftFinish® Phillips/ Pozidriv screwdriver set, 6 pcs.  
**Round blades.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Especially for dry and general applications.

Order-No.	Series	↔
26146 7	311 K6	1
⊕	311	PH1x80 PH2x100 PH3x150
⊕	313	PZ1x80 PZ2x100 PZ3x150



**302 HK6 01** SoftFinish® slotted/Phillips/ Pozidriv screwdriver set, 6 pcs.  
**Round blades.**

Order-No.	Series	↔
26113 9	302 HK6 01	1
①	302	4.0x100 5.5x125 6.5x150
⊕	311	PH1x80 PH2x100
⊕	313	PZ2x100



► See VDE tools,  
page 228 – 237

# Wiha SoftFinish®.

The specialist for dry and general applications.

## Sets with hex blades.



**308 HK6** SoftFinish® slotted/ Phillips screwdriver set, 6 pcs.  
Hex blades with hex bolster.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Especially for dry and general applications.

Order-No.	Series					
21248 3	<b>308 HK6</b>					1
Ⓢ	<b>308</b>	3.5x75	4.5x90	5.5x100	7.0x125	
Ⓢ	<b>312</b>	PH1x80	PH2x100			



**308 ZK6** SoftFinish® slotted/ Pozidriv screwdriver set, 6 pcs.  
Hex blades with hex bolster.

Order-No. Series

21249 0	<b>308 ZK6</b>					1
Ⓢ	<b>308</b>	3.5x75	4.5x90	5.5x100	7.0x125	
Ⓢ	<b>314</b>	PZ1x80	PZ2x100			

## Sets with steel caps. Nut driver set.



**530 HK6** SoftFinish® slotted/ Phillips screwdriver set, 6 pcs.  
Hex blades with hex bolster, solid steel cap.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Especially for dry and general applications.

Order-No.	Series					
21250 6	<b>530 HK6</b>					1
Ⓢ	<b>530</b>	3.5x75	4.5x90	5.5x100	6.5x125	
Ⓢ	<b>531</b>	PH1x80	PH2x100			



**530 ZK6** SoftFinish® slotted/ Pozidriv screwdriver set, 6 pcs.  
Hex blades with hex bolster, solid steel cap.

Order-No. Series

21251 3	<b>530 ZK6</b>					1
Ⓢ	<b>530</b>	3.5x75	4.5x90	5.5x100	6.5x125	
Ⓢ	<b>532</b>	PZ1x80	PZ2x100			



**341 K5** SoftFinish® hex nut driver set, 5 pcs.  
Round blades.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Deep drawn socket.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Especially for dry and general applications.

Order-No.	Series				
01034 8	<b>341 K5</b>				1
Ⓢ	<b>341</b>	5.5x125	7x125	8x125	
		10x125	13x125		

## TORX® sets.



**362 K6 S0** SoftFinish® TORX® screwdriver set, 6 pcs.  
Round blades.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Especially for dry and general applications.

Order-No.	Series				
07155 4	<b>362 K6 S0</b>				1
Ⓢ	<b>362</b>	T10x80	T15x80	T20x100	
		T25x100	T30x115	T40x130	

**362 K7** SoftFinish® TORX® screwdriver set, 7 pcs.  
Round blades.

Order-No. Series

01299 1	<b>362 K7</b>					1
Ⓢ	<b>362</b>	T8x60	T9x60	T10x80	T15x80	
		T20x100	T25x100	T30x115		



**362BE K6** SoftFinish® TORX® ball end screwdriver set, 6 pcs.  
Hex blade.

Blade: High-quality chrome-molybdenum steel, through-hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: For all hard-to-reach TORX® screws.

Extra: The TORX® ball end enables fastening and unfastening at an angle of up to 25°. With elongated TORX® profile behind ball end.

Order-No.	Series				
32249 6	<b>362BE K6</b>				1
Ⓢ	<b>362BE</b>	T9x60	T10x60	T15x80	
		T20x80	T25x100	T30x115	

## Sets.



**362R K6 S0** SoftFinish® TORX® MagicSpring® screwdriver set, 6 pcs.  
Retaining spring holds TORX® screws in place.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: For setting and tightening TORX® screws in difficult to access areas.

Order-No.	Series				
27746 8	<b>362R K6 S0</b>				1
Ⓢ	<b>362R</b>	T10x80	T15x80	T20x100	
		T25x100	T30x115	T40x130	



**362 K6 01** SoftFinish® Pozidriv/ TORX® screwdriver set, 6 pcs.  
Round blades.

Order-No. Series

26114 6	<b>362 K6 01</b>					1
Ⓢ	<b>313</b>	PZ1x80	PZ2x100			
Ⓢ	<b>362</b>	T10x80	T15x80	T20x100	T25x100	

**362TR K6** SoftFinish® TORX® Tamper Resistant screwdriver set, 6 pcs.  
For TORX® screws with locking pin.

Order-No. Series

24506 1	<b>362TR K6</b>					1
Ⓢ	<b>362TR</b>	T10Hx80	T15Hx80	T20Hx100		
		T25Hx100	T30Hx115	T40Hx130		

# Wiha MicroFinish.

The specialist for wet and oily applications.



The non-slip handle is made from cellulose acetate and has a micro-fine surface structure. This gives maximum torque transmission and perfect handling in wet and oily work surroundings.

### Optimum power transfer, even with very oily hands!

Wiha MicroFinish screwdrivers stand for contemporary handle design, together with the ideal combination of materials for wet and oily applications.

The micro-fine surface of the finish zone made of sandblasted cellulose-acetate ensures maximum power transfer and provides an effective non-slip grip, even with very oily hands. The roll-off protection in the front area of the handle prevents the tool from rolling off the workbench. The screwdriver is also available with a solid steel cap for loosening tight screws with a single hammer blow. As the steel cap is connected to the blade, the entire energy from the impact is transmitted to the screw head without damaging either the handle or the blade.



The MicroFinish hex blades with ChromTop® tip are made of high-quality chrome-vanadium-molybdenum steel, are through-hardened and chrome-plated. This guarantees a particularly long tool life.

Wiha's MicroFinish screwdrivers are ideal for automotive applications, for use on building sites or when working with sanitary installations. However, they can also be used to perform repairs to machinery and equipment where oil and lubricants pose potential problems.



The hex blade and hex bolster model with solid steel cap is ideal for loosening tight screws.



### Wiha MicroFinish.

- Micro-fine handle surface for a non-slip grip in an oily working environment
- Ergonomic handle shape fits every hand
- Blades made of high-quality chrome-vanadium-steel, through-hardened and chrome-plated for a long tool life
- Wiha ChromTop® blade tip sits securely in the screw head and offers great dimensional accuracy

### For slotted screws.



#### 5520 MicroFinish slotted screwdriver. Round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Non-slip Wiha MicroFinish handle with roll-off protection.  
Standards: DIN 5265, DIN ISO 2380.  
Application: Best suited for turning screws in wet and oily conditions.

Order-No.	①	↔	⊖	●	↔	↔	↔
29115 0	3.5	100	0.6	3.5	204	23	10
29116 7	4.0	100	0.8	4.0	211	30	10
29117 4	4.0•	150	0.8	4.0	261	30	10
29118 1	5.5	125	1.0	5.5	236	30	10
29119 8	5.5	150	1.0	5.5	261	30	10
29120 4	6.5	150	1.2	6.0	268	36	10
29121 1	8.0	150	1.2	7.0	274	41	10
29122 8	8.0	175	1.2	7.0	299	41	10
29123 5	10.0	200	1.6	8.0	324	41	5

• Additional dimension. Non-DIN size.



#### 5533 MicroFinish slotted screwdriver. Hex blade with hex bolster, solid steel cap.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Non-slip Wiha MicroFinish handle with roll-off protection.  
Standards: DIN 5265, DIN ISO 2380.  
Application: Best suited for turning screws in wet and oily conditions.

Order-No.	①	↔	⊖	●	⬡	↔	↔	↔
29133 4	4.5•	90	0.8	4.0	-	201	30	10
29134 1	5.5	100	1.0	5.0	8	213	36	10
29135 8	6.5	125	1.2	6.0	10	238	36	10
29136 5	8.0	150	1.2	8.0	13	271	41	5
29137 2	10.0	175	1.6	8.0	13	296	41	5

• Additional dimension. Non-DIN size.

### For Phillips screws.



#### 5521 MicroFinish Phillips screwdriver. Round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Non-slip Wiha MicroFinish handle with roll-off protection.  
Standards: ISO 8764.  
Application: Best suited for turning screws in wet and oily conditions.

Order-No.	⊕	↔	●	↔	↔	↔
29140 2	PH0	60	3.0	165	23	10
29141 9	PH1	80	4.5	192	30	10
29142 6	PH1•	200	4.5	312	30	5
29143 3	PH2	100	6.0	220	36	10
29144 0	PH2•	200	6.0	320	36	5
29145 7	PH3	150	8.0	277	41	10

• Additional dimension. Non-DIN size.



#### 5534 MicroFinish Phillips screwdriver. Hex blade with hex bolster, solid steel cap.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Non-slip Wiha MicroFinish handle with roll-off protection.  
Standards: ISO 8764.  
Application: Best suited for turning screws in wet and oily conditions.

Order-No.	⊕	↔	●	⬡	↔	↔	↔
29149 5	PH1	80	5.0	8	187	30	10
29150 1	PH2	100	6.0	10	214	36	10
29151 8	PH3	150	8.0	13	271	41	10

## Wiha Info

### Wiha MicroFinish.

Due to the sandblasted surface, oil and moisture flow away from the handle surface for a powerful, non-slip grip – a maximum force and comfort with dry, oily or wet hands is ensured.  
The ergonomic handle shape ensures also exceptional torque transfer.

# Wiha MicroFinish.

The specialist for wet and oily applications.

## For Pozidriv and TORX® screws.



**5522** MicroFinish Pozidriv screwdriver.  
**Round blade.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Non-slip Wiha MicroFinish handle with roll-off protection.  
Standards: ISO 8764.  
Application: Best suited for turning screws in wet and oily conditions.

Order-No.							
29152 5	PZ1	80	4.5	192	30		10
29153 2	PZ2	100	6.0	220	36		10
29154 9	PZ3	150	8.0	277	41		10



**5535** MicroFinish Pozidriv screwdriver.  
**Hex blade with hex bolster, solid steel cap.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Non-slip Wiha MicroFinish handle with roll-off protection.  
Standards: ISO 8764.  
Application: Best suited for turning screws in wet and oily conditions.

Order-No.							
29158 7	PZ1	80	5.0	8	187	30	10
29159 4	PZ2	100	6.0	10	214	36	10
29160 0	PZ3	150	8.0	13	271	41	5



**5527** MicroFinish TORX® screwdriver.  
**Round blade.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Non-slip Wiha MicroFinish handle with roll-off protection.  
Application: Best suited for turning screws in wet and oily conditions.

Order-No.							
29161 7	T9	60	4.0	172	30		10
29162 4	T10	80	4.0	192	30		10
29163 1	T15	80	4.0	192	30		10
29164 8	T20	100	4.0	212	30		10
29165 5	T25	100	4.5	212	30		10
29166 2	T27	115	5.5	235	36		10
29167 9	T30	115	6.0	235	36		10
29168 6	T40	130	7.0	257	41		5

## For hex nuts.



**5525** MicroFinish hex nut driver.  
**Round blade.**  
Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Deep drawn socket.  
Handle: Non-slip Wiha MicroFinish handle with roll-off protection.  
Standards: DIN 3125.  
Application: Best suited for turning screws in wet and oily conditions.

Order-No.						
29170 9	5.5	125	237	30	7.9	10
29171 6	6	125	237	30	8.9	10
29172 3	7	125	245	36	10.9	10
29173 0	8	125	245	36	11.9	10
29174 7	10	125	245	36	14.4	10



**5528** MicroFinish hex nut driver.  
**Flexible shaft for hard to reach areas.**  
Handle: Non-slip Wiha MicroFinish handle with roll-off protection.  
Application: E.g. for tightening and loosening adjustable hose clamps.

Order-No.						
29175 4	6	150	262	30	9	10
29176 1	7	150	270	36	11	10
29177 8	8	150	270	36	12	10

## TORX® set.



**5527 K6** MicroFinish TORX® screwdriver set, 6 pcs.  
**Round blades.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Non-slip Wiha MicroFinish handle with roll-off protection.  
Application: Best suited for turning screws in wet and oily conditions.

Order-No.	Series	
29169 3	5527 K6	1
	5527	T10x80 T15x80 T20x100 T25x100 T30x115 T40x130

## Sets with round blades.



**5520 HK6** MicroFinish slotted/ Phillips screwdriver set, 6 pcs.  
**Round blades.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Non-slip Wiha MicroFinish handle with roll-off protection.  
Application: Best suited for turning screws in wet and oily conditions.

Order-No.	Series	
29124 2	5520 HK6	1
	5520	3.5x100 4.0x100 5.5x125 6.5x150
	5521	PH1x80 PH2x100



**5520 ZK6** MicroFinish slotted/ Pozidriv screwdriver set, 6 pcs.  
**Round blades.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Non-slip Wiha MicroFinish handle with roll-off protection.  
Application: Best suited for turning screws in wet and oily conditions.

Order-No.	Series	
29125 9	5520 ZK6	1
	5520	3.5x100 4.0x100 5.5x125 6.5x150
	5522	PZ1x80 PZ2x100

## Sets with steel caps.



**5533 HK5** MicroFinish slotted/ Phillips screwdriver set, 5 pcs.  
**Hex blades with hex bolster, solid steel cap.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Non-slip Wiha MicroFinish handle with roll-off protection.  
Application: Best suited for turning screws in wet and oily conditions.

Order-No.	Series	
29138 9	5533 HK5	1
	5533	5.5x100 6.5x125 8.0x150
	5534	PH1x80 PH2x100



**5533 ZK5** MicroFinish slotted/ Pozidriv screwdriver set, 5 pcs.  
**Hex blades with hex bolster, solid steel cap.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Non-slip Wiha MicroFinish handle with roll-off protection.  
Application: Best suited for turning screws in wet and oily conditions.

Order-No.	Series	
29139 6	5533 ZK5	1
	5533	5.5x100 6.5x125 8.0x150
	5535	PZ1x80 PZ2x100

# Wiha Classic.

The robust screwdriver for multiple applications.



Wiha Square handle, impact-resistant and cadmium-free – also withstands a few hammer strokes.

Day after day, the Wiha Square Grip screwdriver proves to be a universal classic for a wide variety of different applications. Its robust handle is manufactured from high quality plastic and is impact resistant, non-splintering and recyclable.

Users appreciate its versatility and high quality, which is also conveyed by the hardened chrome-vanadium-molybdenum steel blade.



Wiha Square Grip – the tough and versatile classic.



The slim square handle even fits into the smallest pocket.

## Wiha Classic.

- Universal use, and successful for many years
- Robust, large-surface handle made of impact-resistant plastic material, chemical and oil-resistant
- Smooth handle surface allows easy cleaning
- Wiha ChromTop®-finish on tip for a perfect fit every time
- Takes up a small amount of space in the toolbox

### For slotted screws.



#### 186 Classic slotted screwdriver. Round blade.

Blade: Chrome-vanadium steel, through hardened, nickel-plated. Tip and blade width identical up to size 6.0.

Handle: Impact, oil and grease resistant Wiha Classic handle.

Application: For universal use in trade and industry.

Extra: Series includes extra long dimensions for screws that are difficult to access.

Order-No.	①	↔	⊖	●	↔	↕	↔
00201 5	2.0	40	0.4	2.0	100	14	10
00202 2	2.0	60	0.4	2.0	120	14	10
00203 9	2.5	50	0.4	2.5	110	14	10
00204 6	2.5	75	0.4	2.5	150	19	10
00206 0	3.0	75	0.5	3.0	150	19	10
00207 7	3.0	100	0.5	3.0	175	19	10
00208 4	3.0	150	0.5	3.0	225	19	10
00209 1	3.0	200	0.5	3.0	285	22	10
00210 7	3.0	300	0.5	3.0	385	22	5
00211 4	3.5	100	0.6	3.5	175	19	10
00212 1	4.0	100	0.8	4.0	185	22	10
00213 8	4.0	150	0.8	4.0	235	22	10
00214 5	4.0	200	0.8	4.0	285	22	10
00215 2	4.0	300	0.8	4.0	385	22	5
00218 3	5.0	100	0.9	5.0	195	24	10
00219 0	5.0	150	0.9	5.0	245	24	10
00220 6	5.0	200	0.9	5.0	295	24	10
00221 3	5.0	300	0.9	5.0	395	24	5
00222 0	5.5	100	1.0	5.5	195	24	10
00223 7	5.5	150	1.0	5.5	245	24	10
00226 8	6.0	100	1.1	6.0	205	28	10
00227 5	6.0	150	1.1	6.0	255	28	10
00229 9	6.0	300	1.1	6.0	405	28	5
00230 5	7.0	150	1.2	6.0	255	28	10
00231 2	8.0	150	1.2	7.0	265	32	10
00234 3	8.0	300	1.2	7.0	415	32	5
00235 0	10.0	200	1.6	8.0	315	32	5
00236 7	10.0	300	1.6	8.0	415	32	5
00237 4	10.0	500	1.6	8.0	615	32	5



#### 148 Classic slotted screwdriver. Round blade.

Blade: Chrome-vanadium steel, through hardened, nickel-plated. Anti-Cam-Out ribs on tips from size 5.5.

Handle: Impact, oil and grease resistant Wiha Classic handle.

Application: For universal use in trade and industry.

Order-No.	①	↔	⊖	●	↔	↕	↔
00097 4	2.5	75	0.4	3.5	150	19	10
00098 1	3.5	90	0.5	4.0	175	22	10
00099 8	4.5	100	0.7	5.0	195	24	10
00100 1	5.5	120	0.95	6.0	225	28	10
00101 8	7.0	140	1.05	7.0	225	32	10
00102 5	9.0	160	1.2	8.0	275	32	10
00103 2	10.0	180	1.4	8.0	305	36	10

### For Phillips, Pozidriv and TORX® screws.



#### 153 Classic Phillips screwdriver. Round blade.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.

Handle: Impact, oil and grease resistant Wiha Classic handle.

Standards: ISO 8764.

Application: For universal use in trade and industry.

Order-No.	⊕	↔	●	↔	↕	↔
00109 4	PH0	60	3.0	135	19	10
00111 7	PH1	80	4.5	175	24	10
00112 4	PH1•	200	4.5	295	24	10
00115 5	PH2	100	6.0	205	28	10
00116 2	PH2•	250	6.0	355	28	10
00117 9	PH2•	350	6.0	455	28	5
00119 3	PH3	150	8.0	265	32	10
00120 9	PH3•	300	8.0	415	32	5

• Additional dimension. Non-DIN size.



#### 222 Classic Pozidriv screwdriver. Round blade.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.

Handle: Impact, oil and grease resistant Wiha Classic handle.

Standards: ISO 8764.

Application: For universal use in trade and industry.

Order-No.	⊕	↔	●	↔	↕	↔
00416 3	PZ0	60	3.0	135	19	10
00418 7	PZ1	80	4.5	175	24	10
00422 4	PZ2	100	6.0	205	28	10
00423 1	PZ2•	250	6.0	355	28	5
00426 2	PZ3	150	8.0	265	32	10

• Additional dimension. Non-DIN size.



#### 360 Classic TORX® screwdriver. Round blade.

Blade: Chrome-vanadium steel, through hardened, black-finish.

Handle: Impact, oil and grease resistant Wiha Classic handle.

Application: For universal use in trade and industry.


Order-No.	⊗	↔	●	↔	↕	↔
05280 5	T5	50	2.5	110	14	10
01264 9	T6	50	3.5	125	19	10
01266 3	T8	60	3.5	135	19	10
01267 0	T9	60	4.0	145	22	10
01268 7	T10	80	4.0	175	24	10
01269 4	T15	80	4.0	175	24	10
01270 0	T20	100	4.0	205	28	10
01271 7	T25	100	4.5	205	28	10

# Wiha Classic.

The robust screwdriver for multiple applications.

► See VDE tools,  
page 238

For hex nuts and hex socket screws.



**353** Classic hex screwdriver.  
**Hex blade.**  
Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Handle: Impact, oil and grease resistant Wiha Classic handle.  
Application: For universal use in trade and industry.

Order-No.	⌀	↔	↔	↔	↔
01224 3	1.5	60	120	14	10
01225 0	2	60	120	14	10
01226 7	2.5	75	150	19	10
01227 4	3	75	150	19	10
01228 1	4	75	160	22	10
01229 8	5	75	170	24	10



**342** Classic hex nut driver.  
**Round blade.**  
Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Deep drawn socket.  
Handle: Impact, oil and grease resistant Wiha Classic handle.  
Standards: DIN 3125.  
Application: For universal use in trade and industry.

Order-No.	⌀	↔	↔	↔	↔
01051 5	3	125	220	24	5.0
01053 9	3.5	125	220	24	6.4
01054 6	4	125	220	24	6.9
01055 3	4.5	125	220	24	6.9
01056 0	5	125	220	24	7.9
01057 7	5.5	125	220	24	7.9
01058 4	6	125	220	24	8.9
01059 1	7	125	230	28	10.9
01060 7	8	125	230	28	11.9
01061 4	9	125	230	28	12.9
01062 1	10	125	230	28	14.4
01063 8	11	125	240	32	15.9
01064 5	12	125	240	32	16.9
01065 2	13	125	240	32	18.4

Slotted/ Phillips and slotted/ Pozidriv sets.



**148 HK5** Classic slotted/ Phillips screwdriver set, 5 pcs.  
**Round blades.**  
Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Anti-Cam-Out ribs on tip sizes 5.5 / 7.0.  
Handle: Impact, oil and grease resistant Wiha Classic handle.  
Application: For universal use in trade and industry.

Order-No.	Series	↔
00105 6	148 HK5	1
⌀	148	4.5x100 5.5x120 7.0x140
⊕	153	PH1x80 PH2x100



**148 ZK5** Classic slotted/ Pozidriv screwdriver set, 5 pcs.  
**Round blades.**

Order-No.	Series	↔
00108 7	148 ZK5	1
⌀	148	4.5x100 5.5x120 7.0x140
⊕	222	PZ1x80 PZ2x100

# Wiha scrapers, trim pin remover, square reamers and awls.

Scraper, trim pin remover.



**K 430 20** Seal scraper.  
Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Handle: Wiha Power handle, impact, oil and grease resistant.  
Application: For easy removing of sealing materials, e.g. in automotive applications.

Order-No.	↔	↔	↔	↔
01532 9	25	150	260	36
				10



**K 430 10** Trim pin remover.  
Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Handle: Wiha Power handle, impact, oil and grease resistant.  
Application: For fast removal of trim pins, e.g. on internal car panels.


Order-No.	↔	↔	↔	↔
01531 2	7.5	175	285	36
				10

Square reamer, awl.



**300-2** Reamer with plastic handle and round blade.  
Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Handle: Made of cellulose acetate, transparent red.  
Application: For enlarging holes and drill holes.


Order-No.	↔	↔	↔	↔
00679 2	6.0	100	185	34
				10



**301-2** Awl with plastic handle and round blade.  
Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Handle: Made of cellulose acetate, transparent red.  
Application: For pre-punching holes and drill holes.

Order-No.	↔	↔	↔	↔
00683 9	6.0	100	185	34
				10

## Wiha Info



Reamers and awls are also available with wood handles, see page 33.

# Wiha pocket screwdrivers and screw-holding screwdrivers.

## For slotted and Phillips screws.



Order-No.	⌀	↔	●	↔	+	
01537 4	3.0	40	3.0	100	11	50
01538 1	3.0	60	3.0	120	11	50
01539 8	3.0	80	3.0	140	11	50

**509** Slotted pocket screwdriver.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.

Handle: Wiha round handle, transparent yellow.

Order-No.	⌀	↔	●	↔	+	
01548 0	2.0	40	2.0	85	8	50

**198-1** Classic reversible slotted/ Phillips screwdriver.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.

Handle: Wiha round handle, oil and grease resistant.

Order-No.	⌀	⊕	●	↔	↔	+	
00328 9	6.0	PH2	6	160	90	22	10

## Screw extractor set.




**405 11** Screw extractor set with spiral drill bit, 16 pcs.

Material: Screw extractor of chrome-vanadium-molybdenum steel, HSS spiral drill bit, bronzed.

Application: Used for lifting of damaged or broken screws, especially for obsolete hex screws (Allen).


Order-No.	Series				
03988 2	405 11				1
	405	2.0x85	2.5x85	3.0x85	4.0x85
		5.0x85	6.0x95	8.0x95	10.0x110
		2.3x53	2.8x51	3.4x70	4.5x80
		5.7x93	6.8x109	9.0x117	11.0x142

## Wiha Info



# Wiha magnetisers/ demagnetisers.

## Magnetisers/demagnetisers.



**400 10** Magnetiser/ demagnetiser.

Size: 52 x 50 x 29 mm (b x h x d)

Application: For magnetising/ demagnetising screwdriver blades and similar tools made of steel.

Order-No.	
01508 4	5



**SB 400 10** Magnetiser/ demagnetiser, blister packed.

Size: 52 x 50 x 29 mm (b x h x d)

Application: For magnetising/ demagnetising screwdriver blades and similar tools made of steel.

Order-No.	
02568 7	5

## Magnetisers/demagnetisers.



**400 12** Magnetisers/ demagnetisers, 12 pcs.

In display box for trade sales.

Order-No.	
24492 7	1

# Wiha universal scraper.

Easily removes sealing, paint and glue.



The razor sharp blade quickly removes sealing, paint and glue.

The Wiha universal scraper is the optimal tool to quickly and easily remove seals, paint, glue and labels from glass and metallic surfaces.

The universal scraper is a robust tool with an ergonomic SoftFinish® multi-component handle. Due to the special handle shape ultimate user comfort is provided. The high quality blades have a very long life. If a blade change is necessary, it can be done quickly and easily using the unique blade changing device.



The Wiha universal scraper is a tool which should be present in every professional toolbox. It also makes life easier for every home worker.



The Wiha universal scraper can be used for the easy removal of gasket remains.

## Wiha universal scraper.

- Removes quickly seals, paint, glue and labels
- High-quality blades have a very long life
- Square blade geometry, ideal for corners and edges
- Unique blade changing device ensures easy blade change
- Ergonomically shaped SoftFinish® multi-component handle for maximum user comfort

### Universal scraper.



**430 40** Universal scraper starter set.  
With 1 razor-edged blade, 13 mm wide.  
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
Application: Removes sealing materials, glue residue, tape, labels.

Order-No.		
23159 0	Universal scraper with 1 blade	5



**SB 430 4010** Universal scraper set.  
With 10 razor-edged replacement blades, 13 mm wide.  
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
Application: Removes sealing materials, glue residue, tape, labels.  
Extra: Blister packed.

Order-No.		
26920 3	Universal scraper with 1 blade and 10 replacement blades	5

### Replacement blades.



**SB 430 40** Replacement blades for universal scraper.  
13 mm wide.  
Blister packed, 10 pcs.

Order-No.		
27606 5		1



**SB 430 40** Replacement blades for universal scraper.  
20 mm wide.  
Blister packed, 10 pcs.

Order-No.		
27902 8		1



**SB 430 95** Replacement blades for universal scraper.  
Rounded blade.  
Blister packed, 10 pcs.

Order-No.		
27874 8		1



**SB 430 96** Replacement blades for universal scraper.  
Tapered blade.  
Blister packed, 10 pcs.

Order-No.		
27875 5		1

# Wiha wooden handle.

The all-rounder for woodworking applications.



The Wiha wooden handle is made of untreated, sealed beechwood.

Its hex bolster and specially developed handle profile underlines its professional claim. This is expressed through the blade that extends to the end of the handle. This enables the user to loosen tightened screws with a hammer stroke, since the through blade conducts energy from the hammer stroke directly to the screw. The handle end of the screwdriver is protected against damage by a high-quality, robust leather cap.



Wiha wooden-handle screwdriver – the allrounder made of beech is particularly suitable for all woodworking applications.



The through-blade, hex bolster and leather cap are the professional features that are particularly prized by users.

With hex bolster for greater torque transfer.

## Wiha wooden handle.

- Handle made of sealed beechwood
- High torque can be transmitted even on the tightest screw with the help of the hex bolster for wrenches
- Blade extending through handle transmits the energy of the hammer stroke directly to the tightened screw
- Handle end protected with high-quality leather cap
- Precision blade tip, blade material of chrome-vanadium steel

### For slotted, Phillips and Pozidriv screws.



**162** **Wooden slotted screwdriver.**  
**Round blade with hex bolster.**  
Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
From size 5.5, blade extends through handle.  
Anti-cam-out ribs, hex bolster.  
Handle: Wiha wooden handle made of sealed beech wood, handle end protected with high-quality leather cap.  
Application: For all applications in woodworking and furniture industries.

Order-No.	①	↔	⊗	●	⊕	↔	↔	↔
00147 6	3,5	75	0,6	4,0	-	175	23	10
00151 3	4,5	90	0,8	5,0	-	190	23	10
00152 0	5,5	100	0,95	5,5	8	205	26	10
00153 7	7,0	125	0,95	6,0	10	230	26	10
00154 4	9,0	150	1,1	7,0	10	270	30	10
00156 8	10,0	175	1,2	8,0	13	295	30	10
00157 5	12,0	200	1,4	8,0	13	325	32	10
00158 2	14,0	250	1,75	10,0	16	380	34	5
00159 9	16,0	250	2,0	11,0	16	390	36	5



**129** **Wooden Phillips screwdriver.**  
**Round blade with hex bolster.**  
Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Handle: Wiha wooden handle made of sealed beech wood, handle end protected with high-quality leather cap.  
Standards: ISO 8764.  
Application: For all applications in woodworking and furniture industries.

Order-No.	⊕	↔	●	⊕	↔	↔	↔
00057 8	PH1	80	4,5	8	180	23	10
00058 5	PH2	100	6,0	10	205	26	10
00059 2	PH3	150	8,0	13	270	30	10
00060 8	PH4	200	10,0	16	330	34	5



**221** **Wooden Pozidriv screwdriver.**  
**Round blade with hex bolster.**  
Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Handle: Wiha wooden handle made of sealed beech wood, handle end protected with high-quality leather cap.  
Standards: ISO 8764.  
Application: For all applications in woodworking and furniture industries.


Order-No.	⊕	↔	●	⊕	↔	↔	↔
00412 5	PZ1	80	4,5	8	180	23	10
00413 2	PZ2	100	6,0	10	205	26	10
00414 9	PZ3	150	8,0	13	270	30	10

### Reamer, awl. Sets.



**300-11** **Reamer with wood handle, round blade and striking cap.**  
Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Handle: Made of beech, semi-gloss lacquered.  
Application: For enlarging holes and drill holes in wood.

Order-No.	■	↔	↔	↔	↔
32179 6	6,0	100	190	36	10



**301-11** **Awl with wood handle, round blade and striking cap.**  
Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Handle: Made of beech, semi-gloss lacquered.  
Application: For pre-punching holes and drill holes in wood.

Order-No.	●	↔	↔	↔	↔
32180 2	6,0	100	190	36	10



**162 HK6 S0** **Wooden slotted/ Phillips screwdriver set, 6 pcs.**  
**Round blades with hex bolster.**  
Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
From size 5.5, blade extends through handle.  
Anti-cam-out ribs, hex bolster.  
Handle: Wiha wooden handle made of sealed beech wood, handle end protected with high-quality leather cap.  
Application: For all applications in woodworking and furniture industries.

Order-No.	Series	↔
07149 3	162 HK6 S0	1
①	162	3,5x75 4,5x90 5,5x100 7,0x125
⊕	129	PH1x80 PH2x100



**162 ZK6 S0** **Wooden slotted/ Pozidriv screwdriver set, 6 pcs.**  
**Round blades with hex bolster.**

Order-No.	Series	↔
07150 9	162 ZK6 S0	1
①	162	3,5x75 4,5x90 5,5x100 7,0x125
⊕	221	PZ1x80 PZ2x100

# Wiha PicoFinish.

The comfortable precision screwdriver.




Colour-coded drive symbols on the rotating cap for easy recognition of the individual screwdrivers.

The PicoFinish is distinguished by top-quality materials and an ergonomic handle design. The comfortable precision screwdriver with multi-component handle, rapid rotating zone and easy-movement rotating cap is a professional tool for all precision work for confined screw applications. To make things even easier for the user working with tiny screws, we've developed a second, smaller handle. The colour-coded marking of the drive symbol on the rotating cap is also new. This makes it easier to recognise the individual screwdrivers when several are being used at once.



The blades are made of top-quality chrome-vanadium-molybdenum steel to ensure a particularly long tool life. They are subsequently through-hardened in a controlled process and chrome-plated. The precise ChromTop® tip ensures a secure hold in the screw head.



The easy-movement rotating cap protects the palm of the hand.

- Wiha PicoFinish.**
- Ergonomic handle design with soft zone for comfortable work
  - Easy-movement rotating cap for rapid hand action
  - Colour-coded marking of the drive symbol for easy identification
  - Through-hardened, chromeplated blade made of chromevanadium- molybdenum steel for a long tool life
  - Wiha ChromTop® tip guarantees a secure hold in the screw head
  - Ideal for all fine, filigree applications in electronics and precision-mechanics applications, as well as for DIY and model-building

## For slotted screws.



**260P** PicoFinish slotted screwdriver.  
**Handle with rotating cap and rapid-turning zone.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Wiha PicoFinish handle for rapid rotation.  
Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	①	➔	⊕	●	➔	➔	➔
00475 0	0.8	40	0.16	2.0	134	9	10
00476 7	1.0	40	0.18	2.0	134	9	10
00477 4	1.2	40	0.2	2.0	134	9	10
00478 1	1.5	40	0.25	2.0	134	9	10
00479 8	1.5	60	0.25	2.0	154	9	10
00480 4	1.8	40	0.3	2.0	134	9	10
00481 1	1.8	60	0.3	2.0	154	9	10
00482 8	2.0	40	0.4	2.0	140	18	10
00484 2	2.0	60	0.4	2.0	160	18	10
00485 9	2.0	100	0.4	2.0	200	18	10
00486 6	2.5	50	0.4	2.5	150	18	10
00487 3	2.5	75	0.4	2.5	175	18	10
00488 0	2.5	100	0.4	2.5	200	18	10
00490 3	3.0	50	0.5	3.0	150	18	10
00492 7	3.0	100	0.5	3.0	200	18	10
00493 4	3.0	150	0.5	3.0	250	18	10
00495 8	3.5	60	0.6	3.5	160	18	10
00497 2	4.0	60	0.8	4.0	160	18	10
00498 9	4.0	100	0.8	4.0	200	18	10
00499 6	4.0	150	0.8	4.0	250	18	10

## For Phillips and Pozidriv screws.



**261P** PicoFinish Phillips screwdriver.  
**Handle with rotating cap and rapid-turning zone.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Wiha PicoFinish handle for rapid rotation.  
Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	⊕	➔	●	➔	➔	➔
00513 9	PH000	40	2.0	134	9	10
00512 2	PH00	40	2.0	134	9	10
00514 6	PH00	60	2.0	154	9	10
00511 5	PH0	50	3.0	150	18	10
00515 3	PH0	75	3.0	175	18	10
00516 0	PH1	60	4.0	160	18	10
00517 7	PH1	80	4.0	180	18	10
00518 4	PH1	150	4.0	250	18	10



**262P** PicoFinish Pozidriv screwdriver.  
**Handle with rotating cap and rapid-turning zone.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Wiha PicoFinish handle for rapid rotation.  
Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	⊕	➔	●	➔	➔	➔
04461 9	PZ0	50	3.0	150	18	10
04462 6	PZ1	60	4.0	160	18	10

# Wiha PicoFinish.

The comfortable precision screwdriver.

## For TORX® screws.



**267P** PicoFinish TORX® screwdriver.  
**Handle with rotating cap and rapid-turning zone.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Wiha PicoFinish handle for rapid rotation.  
Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.													
25673 9	T1	40	2.5	134	9								
25674 6	T2	40	2.5	134	9								
20122 7	T3	40	2.5	134	9								
20123 4	T4	40	2.5	134	9								
00566 5	T5	40	2.5	134	9								
00567 2	T6	40	2.5	140	18								
00568 9	T7	40	2.5	140	18								
00569 6	T8	40	2.5	140	18								
00570 2	T9	50	3.0	150	18								
00571 9	T10	50	3.0	150	18								
00572 6	T15	60	3.5	160	18								
00573 3	T20	60	4.0	160	18								



**267PR** PicoFinish TORX® MagicSpring® screwdriver.  
**Handle with rotating cap and rapid-turning zone.**  
**Retaining spring holds TORX® screws in place.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Wiha PicoFinish handle for rapid rotation.  
Application: For setting and tightening TORX® screws in difficult to access areas.

Order-No.							
27729 1	T6	40	2.5	140	18		
27730 7	T7	40	2.5	140	18		
27731 4	T8	40	2.5	140	18		
27732 1	T9	50	3.0	150	18		
27733 8	T10	50	3.0	150	18		
27734 5	T15	60	3.5	160	18		

## For TORX PLUS® screws.



**267PIP** PicoFinish TORX PLUS® screwdriver.  
**Handle with rotating cap and rapid-turning zone.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Wiha PicoFinish handle for rapid rotation.  
Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.										
29100 6	4IP	40	2.5	134	9					
29101 3	5IP	40	2.5	134	9					
29102 0	6IP	40	2.5	140	18					
29103 7	7IP	40	2.5	140	18					
29104 4	8IP	40	2.5	140	18					
29105 1	9IP	50	3.0	150	18					
29106 8	10IP	50	3.0	150	18					
29107 5	15IP	60	3.5	160	18					
29108 2	20IP	60	4.0	160	18					

## For hex socket screws.



**263P** PicoFinish hex screwdriver.  
**Handle with rotating cap and rapid-turning zone.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Wiha PicoFinish handle for rapid rotation.  
Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.								
00519 1	0.7	40	0.028	134	9			
00520 7	0.9	40	0.035	134	9			
00521 4	1.3	40	0.05	134	9			
00522 1	1.5	50	-	144	9			
00523 8	2.0	50	5/64	150	18			
00524 5	2.5	60	-	160	18			
00525 2	3.0	60	-	160	18			

**263P Zoll** PicoFinish hex screwdriver. Inch sizes.  
**Handle with rotating cap and rapid-turning zone.**

Order-No.					
00526 9	1/16	50	144	9	
00528 3	3/32	60	160	18	
00530 6	7/64	60	160	18	
00527 6	1/8	60	160	18	



**264P** PicoFinish ball end hex screwdriver.  
**Handle with rotating cap and rapid-turning zone.**  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
Handle: Wiha PicoFinish handle for rapid rotation.  
Application: Ideal for high-precision work with electro-technical and precision components.  
Extra: The ball end enables the user to work at angles up to 25°.

Order-No.						
00531 3	1.3	40	134	0.05	9	
00532 0	1.5	50	150	-	18	
00533 7	2.0	50	150	-	18	
00534 4	2.5	60	160	-	18	
00535 1	3.0	60	160	-	18	

**264P Zoll** PicoFinish ball end hex screwdriver. Inch sizes.  
**Handle with rotating cap and rapid-turning zone.**

Order-No.								
00537 5	1/16	50	150	18				
00541 2	5/64	50	150	18				
00539 9	3/32	50	150	18				
00542 9	7/64	60	160	18				
00538 2	1/8	60	160	18				
00543 6	9/64	60	160	18				
00540 5	5/32	60	160	18				

## For hex nuts. Chip lifter.



**265P** PicoFinish hex nut driver.  
**Handle with rotating cap and rapid-turning zone.**  
Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Handle: Wiha PicoFinish handle for rapid rotation.  
Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.										
00544 3	1.5	60	2.5	3.0	160	18				
00545 0	1.8	60	2.9	3.5	160	18				
00546 7	2	60	3.2	4.0	160	18				
00547 4	2.5	60	4.0	4.0	160	18				
00548 1	3	60	5.0	5.0	160	18				
00549 8	3.2	60	5.0	5.0	160	18				
00550 4	3.5	60	5.3	6.0	160	18				
00551 1	4	60	5.5	6.0	160	18				
00552 8	4.5	60	6.2	7.0	160	18				
00553 5	5	60	6.8	7.0	160	18				
00554 2	5.5	60	7.6	8.0	160	18				
00555 9	6	60	8.2	9.0	160	18				
00556 6	7	60	9.6	10.0	160	18				

**265P Zoll** PicoFinish hex nut driver. Inch sizes.  
**Handle with rotating cap and rapid-turning zone.**

Order-No.									
00561 0	3/32	60	160	18	2.38				
00564 1	7/64	60	160	18	2.78				
00559 7	1/8	60	160	18	3.18				
00565 8	9/64	60	160	18	3.57				
00562 7	5/32	60	160	18	3.97				
00560 3	3/16	60	160	18	4.76				
00563 4	7/32	60	160	18	5.56				
00558 0	1/4	60	160	18	6.35				



**26810P** PicoFinish chip lifter.  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Handle: Wiha PicoFinish handle.  
Application: For lifting tight parts on circuit boards.

Order-No.							
00574 0	1	3.5	50	150	18		

# Wiha PicoFinish.

The comfortable precision screwdriver.

## Slotted/ Phillips sets.



**260P K6** PicoFinish slotted/ Phillips screwdriver set, 6 pcs.  
**Handle with rotating cap and rapid-turning zone.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Extra: Practical plastic rack with hanging holes.

Order-No.	Series					
00503 0	<b>260P K6</b>					1
⌚	<b>260P</b>	1.5x40	2.0x40	2.5x50	3.0x50	
⊕	<b>261P</b>	PH00x40	PH0x50			



**260P K7** PicoFinish slotted/ Phillips screwdriver set, 7 pcs.  
**Handle with rotating cap and rapid-turning zone.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	Series					
00504 7	<b>260P K7</b>					1
⌚	<b>260P</b>	1.5x40	2.0x40	2.5x50	3.0x50	
⊕	<b>261P</b>	PH00x40	PH0x50	PH1x60		

## TORX® sets.



**267P K6M** PicoFinish TORX® screwdriver set, 6 pcs.  
**Handle with rotating cap and rapid-turning zone.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Profi set for mobile phones and electrical devices.

Extra: Practical plastic rack with hanging holes.

Order-No.	Series					
24002 8	<b>267P K6M</b>					1
⌚	<b>267P</b>	T4x40	T5x40	T6x40		
		T7x40	T8x40	T9x50		



**267P K6** PicoFinish TORX® screwdriver set, 6 pcs.  
**Handle with rotating cap and rapid-turning zone.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Extra: Practical plastic rack with hanging holes.

Order-No.	Series					
03765 9	<b>267P K6</b>					1
⌚	<b>267P</b>	T7x40	T8x40	T9x50		
		T10x50	T15x60	T20x60		

## TORX® MagicSpring® set.



**267PR K6** PicoFinish TORX® MagicSpring® screwdriver set, 6 pcs.  
**Handle with rotating cap and rapid-turning zone.**  
**Retaining spring holds TORX® screws in place.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: For setting and tightening TORX® screws in difficult to access areas.

Extra: Practical plastic rack with hanging holes.

Order-No.	Series					
27747 5	<b>267PR K6</b>					1
⌚	<b>267PR</b>	T6x40	T7x40	T8x40		
		T9x50	T10x50	T15x60		

## Ball end hex L-key set.



**264P K6** PicoFinish ball end hex screwdriver set, 6 pcs.  
**Handle with rotating cap and rapid-turning zone.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Extra: Practical plastic rack with hanging holes.  
The ball end enables the user to work at angles up to 25°.

Order-No.	Series					
00536 8	<b>264P K6</b>					1
⌚	<b>263P</b>	0.9x40				
⌚	<b>264P</b>	1.3x40	1.5x50	2.0x50	2.5x60	3.0x60



**265P K6** PicoFinish hex nut driver set, 6 pcs.  
**Handle with rotating cap and rapid-turning zone.**

Blade: Chrome-vanadium steel, through hardened, chrome-plated.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Extra: Practical plastic rack with hanging holes.

Order-No.	Series					
00557 3	<b>265P K6</b>					1
⌚	<b>265P</b>	2.5x60	3x60	3.5x60		
		4x60	5x60	5.5x60		